



Coimisiún na Scrúduithe Stáit
State Examinations Commission

Leaving Certificate Examination 2017

Model Solutions and Marking Scheme

Mathematics

Ordinary Level

Paper 2

300 marks

Marking Scheme – Paper 2, Section A and Section B

Structure of the marking scheme

Candidate responses are marked according to different scales, depending on the types of response anticipated. Scales labelled A divide candidate responses into two categories (correct and incorrect). Scales labelled B divide responses into three categories (correct, partially correct, and incorrect), and so on. The scales and the marks that they generate are summarised in this table:

Scale label	A	B	C	D	E
No of categories	2	3	4	5	6
5 mark scales	0, 5	0, 3, 5	0, 2, 3, 5	0, 2, 3, 4, 5	
10 mark scales	0, 10	0, 5, 10	0, 3, 7, 10	0, 4, 5, 7, 10	
15 mark scales	0, 15	0, 7, 15	0, 7, 10, 15	0, 5, 7, 9, 15	
20 mark scales	0, 20	0, 10, 20	0, 7, 13, 20	0, 5, 10, 15, 20	
25 mark scales	0, 25	0, 12, 25	0, 8, 17, 25	0, 6, 12, 19, 25	0, 5, 10, 15, 20, 25

A general descriptor of each point on each scale is given below. More specific directions in relation to interpreting the scales in the context of each question are given in the scheme, where necessary.

Marking scales – level descriptors

A-scales (two categories)

- incorrect response
- correct response

B-scales (three categories)

- response of no substantial merit
- partially correct response
- correct response

C-scales (four categories)

- response of no substantial merit
- response with some merit
- almost correct response
- correct response

D-scales (five categories)

- response of no substantial merit
- response with some merit
- response about half-right
- almost correct response
- correct response

E-scales (six categories)

- response of no substantial merit
- response with some merit
- response almost half-right
- response more than half-right
- almost correct response
- correct response

Summary of mark allocations and scales to be applied

Section A

Question 1

(a)(i)	5B
(a)(ii)	5C
(b)(i) +(ii)	5C
(c)(i)	5B
(c)(ii)	5B

Question 2

(a)	5C
(b)(i)	5C
(b)(ii)	5C
(c)	10C

Question 3

(a)(i)	5C
(a)(ii)	5C
(b)	10C
(c)	5C

Question 4

(a)	10C
(b)(i)	5C
(b)(ii)	10D

Question 5

(a)(i)	15C
(a)(ii) +(iii)	5C
(b)	5B

Question 6

(a)	10D
(b)	15D

Section B

Question 7

(a)(i)	10B
(a)(ii)	5D
(b)(i)	10C
(b)(ii)	10B
(b)(iii)	10D
(c)(i) +(ii)	10C

Question 8

(a)	10C
(b)	10D
(c)(i)	5C
(c)(ii)	5C
(c)(iii)	5B
(c)(iv)	5C

Question 9

(a)(i)	5B
(a)(ii)	5C
(b)(i)	15C
(b)(ii)	10C
(b)(iii)	5B
(c)(i)	5C
(c)(ii)	5C
(c)(iii)	5C

Note: In certain cases, typically involving incorrect rounding, omission of units, a misreading that does not oversimplify the work or an arithmetical error that does not oversimplify the work, a mark that is one mark below the full-credit mark may also be awarded. Rounding and units penalty to be applied only once in each part (a), (b), (c) etc. Throughout the scheme indicate by use of * where an arithmetic error occurs.

Detailed marking notes

Model Solutions & Marking Notes


Note: The model solutions for each question are not intended to be exhaustive – there may be other correct solutions. Any Examiner unsure of the validity of the approach adopted by a particular candidate to a particular question should contact his / her Advising Examiner.

Q1	Model Solution – 25 Marks	Marking Notes						
(a) (i)	$65909 - 32290 = 33619$	<p>Scale 5B (0, 3, 5) <i>Partial Credit:</i></p> <ul style="list-style-type: none"> Indicates relevant subtraction. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> Correct answer without work. 						
(a) (ii)	$P(B) = \frac{33619}{65909} = 0.51(51.01\%)$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Either #(E) or #(S) correct. (Answer must be shown in fraction format). <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> $P(B) = \frac{33619}{65909}$ <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> Correct answer without work. <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">Special Case</td> </tr> <tr> <td style="text-align: center;">Without Work</td> <td style="text-align: center;">Award</td> </tr> <tr> <td style="text-align: center;">51%</td> <td style="text-align: center;">F* Full Credit -1</td> </tr> </table>	Special Case		Without Work	Award	51%	F* Full Credit -1
Special Case								
Without Work	Award							
51%	F* Full Credit -1							


<p>(b) (i) + (b) (ii)</p>	$(0.51)^3 = 0.132651 = 0.1327$ <p style="text-align: center;">or</p> $\left(\frac{33619}{65909}\right)^3 = 0.1327150596 = 0.1327$ <p style="text-align: center;">and</p> $(0.51)^2(0.49) = 0.127449 = 0.1274$ <p style="text-align: center;">or</p> $\left(\frac{33619}{65909}\right)^2 \left(\frac{32290}{65909}\right) = 0.1274686717 = 0.1275$	<p>Scale 5C (0, 2, 3, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • $(0.51)^x$ • 0.49 <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • One correct answer. • $(0.51)(0.51)(0.51)$ & $(0.51)(0.51)(0.49)$. • Substantial work in both parts. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answers without work.
<p>(c) (i)</p>	<p style="text-align: center;">Sunday</p> $1 - \sum_{\text{Monday}} \text{Probabilities}$ $1 - (0.14 + 0.15 + 0.18 + 0.15 + 0.12 + 0.1)$ $= 1 - 0.84$ $= 0.16$	<p>Scale 5B (0, 3, 5)</p> <p><i>Partial Credit:</i></p> <ul style="list-style-type: none"> • Formulates addition of some probabilities. • $1 - (\text{incorrect}) \text{ Sum}$ <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.
<p>(c) (ii)</p>	<p>Tuesday Babies = $1300 \times 0.16 = 208$</p>	<p>Scale 5B (0, 3, 5)</p> <p><i>Partial Credit:</i></p> <ul style="list-style-type: none"> • Probability of (Tuesday) used. • Work of merit with 1300. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.

Q2	Model Solution – 25 Marks	Marking Notes
(a)	$x^2+y^2=25$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Equation of circle formula with some substitution. e.g. $x^2+y^2 =$. 25 or 5^2. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> Equation of circle formula fully substituted. i.e. $x^2 + y^2 = 5^2$
(b) (i)	$16+k^2=25$ $k = 3$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> (-4) or k substituted into equation of circle. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> $(-4)^2 + k^2 = 25$. Leaves as $k^2 = 9$. Correct answer without work.
(b) (ii)	<p>AB is the diameter of the circle so the triangle is right-angled at P</p> <p style="text-align: center;">or</p> $m_{PA} = 3$ $m_{PB} = \frac{-1}{3}$ $m_{PA} \times m_{PB} = -1$ $\Rightarrow PA \perp PB$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Correct relevant formula with some substitution. AB is the diameter (but fails to draw conclusion). Demonstrates understanding of a requirement to use slopes. e.g. $[m_1 \times m_2 = -1]$ One correct slope, or length. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> Both slopes correct but no conclusion. Triangle ABP is right angled. <p><i>Zero Credit:</i></p> <ul style="list-style-type: none"> Triangle drawn with P identified as right angled.


<p>(c)</p>	$A_{\text{region}} = A_{\text{semi-circle}} - A_{\text{triangle}}$ $A_{\text{region}} = \frac{1}{2}\pi 5^2 - \frac{1}{2}10(3)$ $A_{\text{region}} = 39.2699 - 15$ $A_{\text{region}} = 24.2699$ $A_{\text{region}} = 24.27$	<p>Scale 10C (0, 3, 7, 10)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Area of circle or semi-circle formula with some substitution. • Area of triangle formula with some substitution. • Area = Area of semicircle – Area of triangle (or equivalent). <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Both areas found. • Answer as $A = \frac{1}{2}\pi 5^2 - \frac{1}{2}10(3)$. <p>Note:</p> $\pi_{\text{cal}} = 24.27$ $\pi_{3.14} = 24.25$ $\frac{\pi_{22}}{7} = 24.29$
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Q3	Model Solution – 25 Marks	Marking Notes
(a) (i)	$ AD = \sqrt{1 + 4} = \sqrt{5}$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct relevant formula with some substitution. • Work with Pythagoras (check candidates diagram) <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Distance formula fully substituted. • Pythagoras's fully substituted. <p><i>Zero Credit:</i></p> <ul style="list-style-type: none"> • Measurement from diagram (2·2).
(a) (ii)	$ CD = \sqrt{16 + 4} = \sqrt{20}$ $\text{Area} = \sqrt{20} \times \sqrt{5}$ $\text{Area} = 10$ <p style="text-align: center;">or</p> 	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Area = $AD \times CD$. • Area = $A_{\text{Rectangle}} - A_{\text{4 Triangles}}$ • Correct relevant formula with some substitution. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Area of triangles calculated. • Area = $\sqrt{20} \times \sqrt{5}$. • Area = $20 - (4 + 4 + 1 + 1)$. <p><i>Zero Credit:</i></p> <ul style="list-style-type: none"> • Measurement from diagram (2·2, 4·5). <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.
(b)	$m_{BC} = -2$ $y - 3 = -2(x - 6)$ $2x + y - 15 = 0$	<p>Scale 10C (0, 3, 7, 10) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct relevant formula with some substitution. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Eq. of line formula fully substituted. • One incorrect substitution followed by correct solution. <p>Note: Accept $(-2x - y + 15 = 0)$</p>

(c)	$\sin ABD = \frac{\sqrt{5}}{5}$ <p style="text-align: center;">or</p> $\cos ABD = \frac{\sqrt{20}}{5}$ <p style="text-align: center;">or</p> $\tan ABD = \frac{\sqrt{5}}{\sqrt{20}}$ <p style="text-align: center;">Showing $\angle ABD = 26.565$ $= 27^\circ$</p>	<p>Scale 5C (0, 2, 3, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Any work of merit e.g. identifies $\angle ABD$. • Work of merit with correct trigonometric ratio. • Correct relevant formula with some substitution. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Sets up a correct trigonometric ratio. • Correct relevant formula fully substituted. <p><i>Misread (-1):</i></p> <ul style="list-style-type: none"> • Finds $\angle ADB$ correctly. <p>Note:</p> <p style="text-align: right;">Rad=0.4636 Grad=29.5167</p>
-----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Q4	Model Solution – 25 Marks	Marking Notes
(a)		<p>Scale 10C (0, 3, 7, 10)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Pilot diagram drawn. • One correct length drawn. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • <u>TWO</u> correct lengths drawn. • Construction correct without arcs (having checked length of sides). • Construction correct but vertices incorrectly named or omitted. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct construction with sides or vertices labelled correctly. <p>Note: Tolerance ± 0.25 cm.</p>
(b) (i)	$\text{Area} = 2k \times 2k$ $= 4k^2 \text{ cm}^2$	<p>Scale 5C (0, 2, 3, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Area of square written as $L \times W$ (or similar). <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct relevant formula fully substituted. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.

<p>(b) (ii)</p>	$4k^2 = 20^2 + 20^2$ $k^2 = 200$ $k = 10\sqrt{2}$ $= 14.14$ $\text{Area} = 4k^2 - \text{Area } \Delta$ $\text{Area} = 4(10\sqrt{2})^2 - \frac{1}{2}(20)(20)$ $\text{Area} = 600(599.7584) \text{ cm}^2$	<p>Scale 10D (0, 4, 5, 7, 10)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Any use of Pythagoras's Theorem. • Area of Triangle Formula with some substitution. • Formulates for area using subtraction. <p><i>Mid Partial Credit:</i></p> <ul style="list-style-type: none"> • Value of k found. • Area of Triangle = 200. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Area of square and area of triangle found. <p>Note: Accept correct rounding of answers.</p>
---------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Q5	Model Solution – 25 Marks	Marking Notes							
(a) (i)	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">55</td> <td style="padding: 2px 10px;">70</td> <td style="padding: 2px 10px;">Given</td> <td style="padding: 2px 10px;">100</td> <td style="padding: 2px 10px;">115</td> <td style="padding: 2px 10px;">130</td> <td style="padding: 2px 10px;">145</td> </tr> </table>	55	70	Given	100	115	130	145	<p>Scale 15C (0, 7, 10, 15)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • One correct new entry. • Writes $\bar{x}=100$ or $\sigma=15$. • Writes \bar{x}, σ, 2σ or 3σ on axis correctly. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Four correct new entries.
55	70	Given	100	115	130	145			
(a) (ii) + (a) (iii)	<div style="border: 2px solid red; padding: 5px; text-align: center;"> <p>Empirical Rule (Standard Normal Curve)</p>  </div> <p style="text-align: center;"> $p = 0.95, (95\%), \left(\frac{95}{100}\right)$ and $0.68 \times 1200 = 816$ </p>	<p>Scale 5C (0, 2, 3, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Shows some understanding of the Empirical Rule. • Work of merit with 1200. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • One correct answer. [e.g. $p = 0.95(95\%)$] • Error in the use of the Empirical Rule. [e.g. (a)(ii) 68% and (a)(iii) 95% of 1200 = 1140] • Substantial work in both parts. 							
(b)	$P = \frac{10 + (14 - 9)}{24} = \frac{15}{24}$ <p style="text-align: center;">or</p> $P = \frac{10 + 9 - 4}{24} = \frac{15}{24}, (0.625), 62.5\%$ <p style="text-align: center;">or</p> $P = \frac{10}{24} + \frac{5}{24} = \frac{15}{24}$	<p>Scale 5B (0, 3, 5)</p> <p><i>Partial Credit:</i></p> <ul style="list-style-type: none"> • Any relevant work towards creating at least one correct probability. [e.g. $P = \frac{x}{24}$ $x \neq 15$] • Answer as 10 + 5. <p><i>Zero Credit:</i></p> <ul style="list-style-type: none"> • Answer as 15. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work. 							

Q6	Model Solution – 25 Marks	Marking Notes
(a)	$\frac{x}{\sin 52} = \frac{10}{\sin 63}$ $x = \frac{10 \times \sin 52}{\sin 63}$ $x = 8.84 \text{ cm}$	<p>Scale 10D (0, 4, 5, 7, 10) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Any work of merit. [e.g. Third Angle = 52°] Sine rule with some substitution. <p><i>Mid Partial Credit:</i></p> <ul style="list-style-type: none"> Finds the length of the base side. (10.17) <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> Full correct substitution without calculation. Incorrect calculator mode but otherwise correct. (once only) Correct answer without work. <p>Rad = 58.95392809 Grad = 8.721730163</p>
(b)	$y^2 = 8.5^2 + 10.2^2 - 2(8.5)(10.2) \cos 53.8$ $y^2 = 73.87897723$ $y = 8.595288083$ $y = 8.60 \text{ cm}$	<p>Scale 15D (0, 5, 7, 9, 15) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Writes Cosine Rule correctly with some substitution. <p><i>Mid Partial Credit:</i></p> <ul style="list-style-type: none"> Two variables correctly substituted into correct relevant formula. $y^2 = 73.878977$ without work and stops. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> Fully correct substitution. One incorrect substitution followed by correct calculation. Incorrect calculator mode but otherwise correct. (once only) Correct answer without work. <p><i>Zero Credit:</i></p> <ul style="list-style-type: none"> Treating triangle as right-angled. <p>Note: Rad = 18.34 Grad = 7.82</p>

Q7	Model Solution – 55 Marks	Marking Notes
(a) (i)	$h = 2r$ $= 2(2.25)$ $= 4.5 \text{ m}$	<p>Scale 10B (0, 5, 10)</p> <p><i>Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct relationship identified. • $2.25 \div 2$ • $h = d$ drawn on a diagram. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.
(a) (ii)	$l^2 = h^2 + r^2$ $l^2 = (4.5)^2 + (2.25)^2$ $l^2 = 25.3125$ $l = \sqrt{25.3125}$ $= 5.03$	<p>Scale 5D (0, 2, 3, 4, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Some use of Pythagoras. • Work of merit. [e.g. Work with $2.25 / 4.5$]. <p><i>Mid partial credit:</i></p> <ul style="list-style-type: none"> • Uses (5.03) to give: $(5.03)^2 = (4.5)^2 + (2.25)^2$ <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Pythagoras fully substituted. • Finishes with only one error. • Stops at $\sqrt{25.3125}$
(b) (i)	$\text{CSA} = 14 \times \pi r l$ $= 14 \times \pi (2.25)(5.03)$ $= 497.77 \text{ m}^2$	<p>Scale 10C (0, 3, 7, 10)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • CSA formula written with some correct substitution. • Work of merit. [e.g. Use of $2.25/5.03$]. • Indicates multiplication by 14. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Fully correct substitution. • Finishes with only one error. • CSA of one cone calculated (35.55).


<p>(b) (ii)</p>	$\text{No. of litres} = \frac{497.77}{12.25} = 40.63428571$ $= 41$	<p>Scale 10B (0, 5, 10) <i>Partial Credit:</i> Works with answer to (b) (i). Works with 12.25.</p>
<p>(b) (iii)</p>	$\text{Number of containers} = \frac{41}{5} = 8.2 = 9$ $\text{Cost} = 9 \times 110$ $= \text{A\$ } 990$ $= 990 \times \text{€}0.68$ $= \text{€}673.20$ $= \text{€}673$	<p>Scale 10D (0, 4, 5, 7, 10) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Indicates answer as $\frac{(b)(ii)}{5}$ and stops. <p><i>Mid Partial Credit:</i></p> <ul style="list-style-type: none"> Finds correct number of containers. (without work) <p><i>High Partial Credit:</i> Finds A\$990 or consistent equivalent. Finishes with only one error.</p>
<p>(c) (i) + (c) (ii)</p>	$\text{Arc length} = 2\pi r$ $= 2\pi (2.25)$ $= 14.14 \text{ m}$ $\text{Arc length} = \frac{\theta}{360} \times 2\pi r$ $\frac{\theta}{360} \times 2\pi (5.03) = 14.14$ $\theta = \frac{14.14 \times 360}{2\pi (5.03)}$ $\theta = 161^\circ$	<p>Scale 10C (0, 3, 7, 10) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Correct relevant formula written with some correct substitution. Identifies $r = 2.25$ or $\text{CSA} = (35.55)$. Correct use of 360° <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> One correct. Uses $l = r\theta$ as degrees) ($\theta = 2.8$). ($1 \text{ rad} \approx 57.296^\circ$) Substantial work in both parts.

Q8	Model Solution – 40 Marks	Marking Notes
(a)	$A = (1, -2) \quad B = (4, 2)$ $D = (6, -6) \quad E = (15, 6)$	<p>Scale 10C (0, 3, 7, 10)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • <u>ONE</u> correct point. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • <u>THREE</u> correct points. • All answers written consistently as (y, x)
(b)	$m_{AB} = \frac{4}{3}$ $m_{DE} = \frac{12}{9} \text{ or } \frac{4}{3}$ <p>Conclusion: Parallel, or slopes are the same.</p>	<p>Scale 10D (0, 4, 5, 7, 10)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Any mention of same slopes or similar. • Slope formula written with some relevant substitution. • Rise over Run (Written or indicated). <p><i>Mid Partial Credit:</i></p> <ul style="list-style-type: none"> • Slope formula fully substituted for one slope. • One correct slope. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Both slopes but no conclusion. • One error in substitution followed by correct calculation and consistent conclusion. <p><i>Full credit:</i></p> <ul style="list-style-type: none"> • Equal slopes and conclusion.
(c) (i)	$A = (1, -2) \quad B = (4, 2) \quad C = (4.5, 0)$ $\begin{array}{ccc} \downarrow & \downarrow & \downarrow \\ A = (0, 0) & B = (3, 4) & C = (3.5, 2) \end{array}$ $\text{Area} = \frac{1}{2} [(3)(2) - (3.5)(4)]$ $\text{Area} = \frac{1}{2} (6) - (14) $ $= \frac{1}{2} (-8) $ $= 4$	<p>Scale 5C (0, 2, 3, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct relevant formula with some correct/consistent substitution. • One point translated to $(0, 0)$. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • $\text{Area} = \frac{1}{2} x_1y_2 - x_2y_1$ fully substituted with translated points. • Error in translation and area calculated correctly. • No translation but uses TWO of the points A, B, C and area calculated correctly. • One error in substitution followed by correct calculation.

<p>(c) (ii)</p>	$ AB = \sqrt{3^2 + 4^2} = 5 \text{ units}$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct relevant formula with some substitution. • Any work of merit indicated in this part. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Correct substitution without calculation. • One error in substitution followed by correct calculation. • Correct answer without work.
<p>(c) (iii)</p>	$\frac{15}{5} = 3 = k$	<p>Scale 5B (0, 3, 5) <i>Partial Credit:</i></p> <ul style="list-style-type: none"> • Use of answer to part (c)(ii). • Scale factor formula written or indicated. • Attempts to calculate AB in this part. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.
<p>(c) (iv)</p>	$\text{Area} = 4 \times 3^2 = 36 \text{ units}^2$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Work of merit with answer from (c)(iii). • Work of merit with answer from (c)(i). <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Area as $3 \times 4 = 12$ or equivalent. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.

Q9	Model Solution – 55 Marks	Marking Notes
<p>(a) (i)</p>	$33\,577\,342 - 33\,551\,983$ $= 25\,359 \text{ invalid votes}$ <p style="text-align: center;">or</p> <p>Total – (leave + remain) = 25 359</p>	<p>Scale 5B (0, 3, 5)</p> <p><i>Partial Credit:</i></p> <ul style="list-style-type: none"> • Relevant addition or subtraction indicated. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work. <p>Note: If Correct answer not written in Table 1 Award F.*</p>
<p>(a) (ii)</p>	$\frac{17\,410\,742}{33\,551\,983} \times 100 = 51.89\%$ $= 52(\%)$	<p>Scale 5C (0, 2, 3, 5)</p> <p><i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> • Any correct element in relevant fraction. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> • Ignores or mishandles % calculation. [e.g. = 0.52% or 0.5189%]. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> • Correct answer without work.

(b)(i)



(b)

(i)

Charts above:

Scale 15C (0, 7, 10, 15)

Low Partial Credit:

- Effort to draw a chart.
[e.g. One data point displayed correctly]

High Partial Credit:

- One fully correct chart.
- Two substantial charts shown.
[e.g. Three or more data elements illustrated with scales and axes]

<p>(b) (ii)</p>	$\bar{x} = \frac{\sum x}{n}$ <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">Remain</td> <td></td> <td style="text-align: center;">Leave</td> </tr> <tr> <td style="text-align: center;">73</td> <td></td> <td style="text-align: center;">27</td> </tr> <tr> <td style="text-align: center;">62</td> <td></td> <td style="text-align: center;">38</td> </tr> <tr> <td style="text-align: center;">52</td> <td></td> <td style="text-align: center;">48</td> </tr> <tr> <td style="text-align: center;">44</td> <td></td> <td style="text-align: center;">56</td> </tr> <tr> <td style="text-align: center;">43</td> <td></td> <td style="text-align: center;">57</td> </tr> <tr> <td style="text-align: center;">40</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td style="text-align: center;">$\sum x$</td> <td style="text-align: center;">314</td> <td style="text-align: center;">286</td> </tr> <tr> <td style="text-align: center;">$\frac{\sum x}{n}$</td> <td style="text-align: center;">$\frac{314}{6}$</td> <td style="text-align: center;">$\frac{286}{6}$</td> </tr> <tr> <td style="text-align: center;">Mean</td> <td style="text-align: center;">52.3%</td> <td style="text-align: center;">47.6%</td> </tr> <tr> <td style="text-align: center;">Mean</td> <td style="text-align: center;">52.33%</td> <td style="text-align: center;">47.67%</td> </tr> </table> <p style="text-align: center;">Remain mean = 52.33% Leave mean = 47.67%</p>	Remain		Leave	73		27	62		38	52		48	44		56	43		57	40		60	$\sum x$	314	286	$\frac{\sum x}{n}$	$\frac{314}{6}$	$\frac{286}{6}$	Mean	52.3%	47.6%	Mean	52.33%	47.67%	<p>Scale 10C (0, 3, 7, 10) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Indicates some relevant addition. Relevant formula with some correct substitution. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> One mean correct. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> Correct answer without work. <table border="1" style="margin-left: auto; margin-right: auto; text-align: center;"> <tr> <td colspan="2">Special Case</td> </tr> <tr> <td>Without Work</td> <td>Award</td> </tr> <tr> <td>52.3 and 47.6</td> <td>F* Full Credit -1</td> </tr> <tr> <td>52.3 or 47.6</td> <td>High Partial</td> </tr> </table>	Special Case		Without Work	Award	52.3 and 47.6	F* Full Credit -1	52.3 or 47.6	High Partial
Remain		Leave																																									
73		27																																									
62		38																																									
52		48																																									
44		56																																									
43		57																																									
40		60																																									
$\sum x$	314	286																																									
$\frac{\sum x}{n}$	$\frac{314}{6}$	$\frac{286}{6}$																																									
Mean	52.3%	47.6%																																									
Mean	52.33%	47.67%																																									
Special Case																																											
Without Work	Award																																										
52.3 and 47.6	F* Full Credit -1																																										
52.3 or 47.6	High Partial																																										
<p>(b) (iii)</p>	<p>The number of voters in each age group is not used in the calculation of the mean in (b)(ii). The mean is based on percentage data of voters in each age group and is therefore unreliable.</p>	<p>Scale 5B (0, 3, 5) <i>Partial Credit:</i></p> <ul style="list-style-type: none"> The number of voters in each age group is not used. The mean values calculated in (b)(ii) are based on percentage data. 																																									

<p>(c) (i)</p>	$\frac{1}{\sqrt{1200}} = 0.0288675$ $= 2.88675\%$ $= 3\%$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Writes $\frac{1}{\sqrt{n}}$ Sets up work as $\sqrt{1200}$ <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> Correct formula fully substituted. i.e. $(\frac{1}{\sqrt{1200}})$ Answer as 0.0288675 or $(\frac{\sqrt{3}}{60})$ without work. <p><i>Full Credit:</i></p> <ul style="list-style-type: none"> Correct answer without work. <table border="1" data-bbox="882 837 1426 972"> <thead> <tr> <th colspan="2">Special Case</th> </tr> <tr> <th>Without Work</th> <th>Award</th> </tr> </thead> <tbody> <tr> <td>2.88675%</td> <td>F* Full Credit -1</td> </tr> </tbody> </table>	Special Case		Without Work	Award	2.88675%	F* Full Credit -1
Special Case								
Without Work	Award							
2.88675%	F* Full Credit -1							
<p>(c) (ii)</p>	$\frac{578}{1200} \times 100 = 48.16666$ $48 - 3 < p < 48 + 3$ $45 < p < 51$	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Work of merit with margin of error from (c)(i). Answer as $\frac{578}{1200}$. $\hat{p} \pm \frac{1}{\sqrt{n}}$ <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> One boundary formed (48+3 or 48-3) Correct answer without work. Use of version of formula from HL. 						
<p>(c) (iii)</p>	$H_0 = p = 53\%$ $H_1 = p \neq 53\%$ <p>53% is not within the C. I. at (c)(ii)</p> $45.17 < p < 51.17$ <p>Reject H_0, Party claim is false</p>	<p>Scale 5C (0, 2, 3, 5) <i>Low Partial Credit:</i></p> <ul style="list-style-type: none"> Null hypothesis stated. C. I. written. <p><i>High Partial Credit:</i></p> <ul style="list-style-type: none"> Conclusion OK but not given in the context of the question. (Reject null hypothesis but no mention of party claim). 						

Marcanna breise as ucht freagairt trí Ghaeilge

(Bonus marks for answering through Irish)

Ba chóir marcanna de réir an ghnáthráta a bhronnadh ar iarrthóirí nach ngnóthaíonn níos mó ná 75% d'iomlán na marcanna don pháipéar. Ba chóir freisin an marc bónais sin a shlánú **síos**.

Déantar an cinneadh agus an ríomhaireacht faoin marc bónais i gcás gach páipéir ar leithligh.

Is é 5% an gnáthráta agus is é 300 iomlán na marcanna don pháipéar. Mar sin, bain úsáid as an ngnáthráta 5% i gcás iarrthóirí a ghnóthaíonn 225 marc nó níos lú, e.g. $198 \text{ marc} \times 5\% = 9.9 \Rightarrow \text{bónas} = 9 \text{ marc}$.

Má ghnóthaíonn an t-iarrthóir níos mó ná 225 marc, ríomhtar an bónas de réir na foirmle $[300 - \text{bunmharc}] \times 15\%$, agus an marc bónais sin a shlánú **síos**. In ionad an ríomhaireacht sin a dhéanamh, is féidir úsáid a bhaint as an tábla thíos.

Bunmharc	Marc Bónais
226	11
227 – 233	10
234 – 240	9
241 – 246	8
247 – 253	7
254 – 260	6
261 – 266	5
267 – 273	4
274 – 280	3
281 – 286	2
287 – 293	1
294 – 300	0

Blank Page